



NAPC WARRANTY COVERAGE

Our warranty covers New and Remanufactured Manual Transmissions, Automatic Transmissions, Transfer Case and Differentials. Unless otherwise noted. From this page forward they will be referred to as "Unit(s)"

We have taken our warranty to a new level! NAPC's NEW warranty is 3 Year/160,000KM, non-commercial. 3 Year/100,000KM for Heavy Hauler series and commercial units.

Commercial includes: Ambulance, automotive off-highway use, delivery vehicles, police, snow removal, tow truck, taxi, hotshot service, farm, etc.

ALL External seals on our units have a 90-day warranty from time of installation

Remove & reinstall payouts

All payouts must be preauthorized before any work is done. No further warranty will be granted or paid unless authorized!

All claim labour rates are set at \$75.00 per hour based on Chilton or Mitchel Labour Guide. Fluid is covered but no claim for specialty fluid is allowed (i.e. Amsoil or Mobil1 synthetic) There are no exceptions to this rule. As well there will be no additional costs paid for shop materials or external coolers and flushing. All warranty claims must be preauthorized. A diagnosis time of 1 hour @ \$75.00 is allowed.

WARRANTY COVERAGE

NAPC warrants to the original buyer that any unit purchased shall be covered from defects in material and/or workmanship for 3 years or 160,000 KM. All Heavy Hauler and commercial use units have a 3 Year/100,000 KM warranty. This applies to all NAPC Transmissions, Transfer cases and Differentials. NAPC reserves the right to determine the course of action regarding repair and/or replacement of any and all warrantable units. Work done under the warranty does not extend the life of the same. This Warranty is VOID for any units purchased through anyone that is NOT an Authorized Dealer of NAPC Products, if this unit is purchased through a private sale; change of ownership or through any Internet sales/auction websites.



NAPC WARRANTY COVERAGE

NAPC will not be responsible for and the warranty does not cover:

- 1. Lost profits, sales or income
- 2. Towing charges
- 3. Lift, dock or storage fees
- 4. Telephone calls
- 5. Substitute transportation, lodging, etc.
- 6. Unauthorized repairs

This warranty does not cover damage, caused by the following, for Automatic Transmissions:

- 1. Incorrectly installed PTOs
- 2. Vehicles that are used over their GVWR
- 3. Transmission coolers that are not replaced as required
- 4. Wrong fluid use
- 5. Shifter linkages not inspected, adjusted or replaced as required
- 6. Case breakage
- 7. Shaft breakage

This warranty does not cover damage, caused by the following, for Manual Transmissions:

- 6. Incorrectly installed PTO's
- 7. Reverse gear clash
- Vehicles that are used over their GVWR
- 9. Pilot bushings/bearings not replaced
- 10. Condition of clutch not verified
- 11. Release bearing not replaced
- 12. Shifter linkages not inspected, adjusted or replaced as required
- 13. Wrong fluid use

This warranty does not cover damage, caused by the following, for Transfer Cases:

- 1. Incorrect transfer case motor installed
- 2. Incorrect installation of transfer case motor
- 3. Incorrect linkage adjustment
- 4. Wrong fluid use
- 5. Inconsistent tire size or circumference on the vehicle

This warrant does not cover damage, caused by the following, for Differentials:

- 1. Driveshafts & u-joints are not inspected and replaced as necessary
- 2. Wrong fluid use
- 3. Any brake failure

To qualify for the 3 Year/160,000 KM warranty or 3 Year/100,000 KM warranty you must follow all installation instructions.

FORD DIFFS	DIFFERENTIALS	1	AUTOMATIC TRANSM	ISSIONS
DESCRIPTION	FORD DIFFS	Oil Required	FORD	OIL REQUIRED
DODECHYSLER DIFFS				
ALL	DODGE/CHRYSLER DIFFS	Oil Required	AXOD	DEXRON III/MERCON
CAMCCHEVROLET DIFFS FRONT	All	80/00 Goar Oil	AXOD <u>E</u>	DEXRON III/MERCON
ALL			AX4S	DEXRON III/MERCON
ACDE		-	AX4N 4F50N	MERCON®V
### ALL			AODE	DEXRON III/MERCON
TRANSFER CASES		•	4R70/75W	MERCON®V
RASSE	ALL	80/90 Geal Oil	A4LD	DEXRON III/MERCON
### ### ### ### ### ### ### ### ### ##	TRANSFER CASES		4R44E	DEXRON III/MERCON
271 ATF 565E MERCON®V 273 ATF 565E MERCON®V 1354 ATF 5655SW MERCON®V 1356 ATF E40D DEXRON III/MERCON 1356 ATF E40D DEXRON III/MERCON 4404 ATF SR110W MERCON III/MERCON 4404 ATF SR110W MERCON III/MERCON 4405 ATF 6R140 MERCON LV 4407 ATF 6R140 MERCON LV 4407 ATF AATO MOPAR ATF +4 4410 ATF AATO MOPAR ATF +4 4411 ATF AAFO MOPAR ATF +4 4411 ATF AG70 MOPAR ATF +4 4211 ATF AG70 MOPAR ATF +4 231 ATF AG70 MOPAR ATF +4 231 ATF AG70 MOPAR ATF +4 231 ATF AG70 MOPAR ATF +4 422 ATF AG70 MOPAR ATF +4 4241 ATF AG70 MOPAR ATF +4 4241 ATF AG70 MOPAR ATF +4 4242 ATF AG70 MOPAR ATF +4 4240 ATF AG70 MOPAR ATF +4 438E MOPAR ATF +4 44RH/RE MOPAR ATF +4 44RH/RE MOPAR ATF +4 44RH/RE MOPAR ATF +4 45RE MOPAR ATF +4 46SE DEXRON VI 46SE DE		OIL DECLUDED	4R55E	DEXRON III/MERCON
273				
1354			5R55E	MERCON®V
1356			5R55S/W	MERCON®V
ATE			E4OD	DEXRON III/MERCON
### 4405	1356	_ ATF	4D400	DEXRON III/MERCON
4405	4404	- ATF	5R110W	MERCON SP OR LV
ATF ATF ATF ATF A470	4405	_ ATF	6R80	MERCON LV
A410	4408	_ ATF	6R140	MERCON LV
4410 ATF A470 MOPAR ATF +4 4411 ATF A670 MOPAR ATF +4 DODGE/CHRYSLER OIL REQUIRED 41TE 604 606 MOPAR ATF +4 205 80/90 GEAR OIL 4727 904 MOPAR ATF +4 231 ATF 42RH/RE MOPAR ATF +4 233D ATF 44RH/RE MOPAR ATF +4 241 ATF 48RE MOPAR ATF +4 241 ATF 48RE MOPAR ATF +4 242 ATF 48RE MOPAR ATF +4 243D ATF 48RE MOPAR ATF +4 44TH 45RFE MOPAR ATF +4 45RFE MOPAR ATF +4 247 ATF 66RFE MOPAR ATF +4 45RFE MOPAR ATF +4 247 ATF 66RFE MOPAR ATF +4 45RFE MOPAR ATF +4 247 ATF 66RFE MOPAR ATF +4 45RFE MOPAR ATF +4 247 ATF ATF 5-45RFE MOPAR ATF +4 247 ATF ATF	4407	_ ATF	DODGE/CHRYSLER	OII REOLIBED
AGTO	4410	_ ATF		
DODGE/CHRYSLER OIL REQUIRED 41TE 604 606 MOPAR ATF +4 205 80/90 GEAR OIL A727 904 MOPAR ATF +4 231 ATF 42RH/RE MOPAR ATF +4 4231 ATF 44RH/RE MOPAR ATF +4 427 ATF 44RH/RE MOPAR ATF +4 241 ATF 47RH/RE MOPAR ATF +4 242 ATF 48RE MOPAR ATF +4 243D ATF 48RE MOPAR ATF +4 244D ATF 45RFE MOPAR ATF +4 244D ATF 65RFE MOPAR ATF +4 447 ATF 65RFE MOPAR ATF +4 247 ATF 65RFE MOPAR ATF +4 249 ATF 54SRFE MOPAR ATF +4 271 ATF 54SRFE MOPAR ATF +4 273 ATF 722.6 NAG1 MOPAR ATF +4 4TM0PAR ATF +4 AS68RC MOPAR ATF +4 ATF 4TM0/45E DEXRON V1 DEXRON V1 136 AUTOTRACK	4411	_ ATF		
A727 904	DODOE/01/DV01/ED	OIL DECLUDED		
ATF ATF ARF				
ATF ATF ATF ATF ARR MOPAR ATF +4				
ATF ATT ATF ATT ATF ATT ATF ATT ATT ATT ATT ATT				
AIF ATF ALLISON 2000 2500	233D	_ ATF	<u>'</u>	
242 ATF 243D ATF 244D ATF 244D ATF 247 ATF 249 ATF 249 ATF 271 ATF 273 ATF 274 MOPAR ATF +4 275 MOPAR ATF +4 249 ATF 249 ATF 249 ATF 347 MOPAR ATF +4 4400 MOPAR ATF +4 488E MOPAR ATF +4 458FE MOPAR ATF +4 400 MOPAR ATF +4 400 MOPAR ATF +4 44 MOPAR ATF +4 486RFE MOPAR ATF +4 4868RC MOPAR ATF +4 4868RC MOPAR ATF +4 4868RC MOPAR ATF +4 44404SE DEXRON V1 4165E DEXRON V1 4165E DEXRON V1 4165E DEXRON V1 4166E DEXRON V1 4166E DEXRON V1 4166E DEXRON V1 <t< td=""><td>241</td><td>_ ATF</td><td></td><td></td></t<>	241	_ ATF		
243D ATF 244D ATF 247 ATF 249 ATF 271 ATF 273 ATF 273 ATF 300 ATF 458RC MOPAR ATF +4 458RC MOPAR AS68RC FLUID ONLY 273 ATF 6MC/CHEVROLET OIL REQUIRED 126 ATF 4T40/45E DEXRON V1 136 AUTOTRACK2 205C 80/90 GEAR OIL 205C 80/90 GEAR OIL 4T65E DEXRON V1 208 ATF 226 AUTOTRACK2 233 ATF 234 ATF 235 AUTOTRACK2 4160/70/75E DEXRON V1 241 ATF 243 ATF 4180E DEXRON V1 243 ATF 4180E DEXRON V1 246 AUTOTRACK 2 4180E DEXRON V1 4180E DEXRON V1 4180E <t< td=""><td>242</td><td>_ ATF</td><td></td><td></td></t<>	242	_ ATF		
244D ATF 247 ATF 249 ATF 271 ATF 273 ATF ATF AS68RC MOPAR AS68RC FLUID ONLY 273 ATF GMC/CHEVROLET OIL REQUIRED 126 ATF 126 ATF 4T40/45E DEXRON V1 136 AUTOTRACK2 205C 80/90 GEAR OIL 208 ATF 226 AUTOTRACK2 233 ATF 233 ATF 236 AUTOTRACK 2 241 ATF 242 ATF 416070/75E DEXRON V1 243 ATF 4180E DEXRON V1 246 AUTOTRACK 2 4180E DEXRON V1 4180E DEXRON V1 261 ATF 4180F DEXRON V1 4180F DEXRON V1 4180F DEXRON V1 4101 ATF 4101 ATF	243D	_ ATF		
247 ATF 66RFE MOPAR ATF +4 249 ATF 5-45RFE MOPAR ATF +4 271 ATF AS68RC MOPAR AS68RC FLUID ONLY 273 ATF 722.6 NAG1 MOPAR ATF +4 GMC/CHEVROLET OIL REQUIRED 126 ATF 4T40/45E DEXRON V1 136 AUTOTRACK2 4T65E DEXRON V1 205C 80/90 GEAR OIL TH200R4 DEXRON V1 208 ATF TH350C DEXRON V1 226 AUTOTRACK2 TH400 DEXRON V1 233 ATF TH400 DEXRON V1 236 AUTOTRACK 2 4L60/70/75E DEXRON V1 241 ATF 4L65E DEXRON V1 243 ATF 4180E DEXRON V1 246 AUTOTRACK 2 ALLISON 1000 DEXRON V1 261 ATF ALLISON 2000 2500 TRANS SYD 6L80/90E DEXRON V1 4401 ATF DEXRON V1	244D	_ ATF		
249 ATF 271 ATF 273 ATF GMC/CHEVROLET OIL REQUIRED 126 ATF 136 AUTOTRACK2 205C 80/90 GEAR OIL 208 ATF 226 AUTOTRACK2 233 ATF 236 AUTOTRACK 2 241 ATF 243 ATF 246 AUTOTRACK 2 241 ATF 242 AUTOTRACK 2 241 ATF 246 AUTOTRACK 2 261 ATF 263 ATF 4180E DEXRON V1 4180F DEXRON V1 400 DEXRON V1 400 DEXRON V1 400 DEX	247	_ ATF		
271 ATF AS68RC MOPAR AS68RC FLUID ONLY 273 ATF 722.6 NAG1 MOPAR AS68RC FLUID ONLY 4T40/45E DEXRON V1 4T65E DEXRON V1 208 ATF 226 AUTOTRACK2 233 ATF 236 AUTOTRACK2 241 ATF 243 ATF 244 ATF 245 AUTOTRACK 2 246 AUTOTRACK 2 246 AUTOTRACK 2 261 ATF 263 ATF 4401 ATF ATF AS68RC MOPAR ATF MOPAR ATF ATF ATAG ATG ATG ATG ATG ATG	249	_ ATF		
273 ATF 722.6 NAG1 MOPAR ATF +4 GMC/CHEVROLET OIL REQUIRED GMC/CHEVROLET OIL REQUIRED 126 ATF 4T40/45E DEXRON V1 136 AUTOTRACK2 4T65E DEXRON V1 205C 80/90 GEAR OIL TH200R4 DEXRON V1 208 ATF TH350 DEXRON V1 226 AUTOTRACK2 TH400 DEXRON V1 233 ATF TH700R4 DEXRON V1 236 AUTOTRACK 2 4L60/70/75E DEXRON V1 241 ATF 4L65E DEXRON V1 243 ATF 4L65E DEXRON V1 246 AUTOTRACK 2 ALLISON 1000 DEXRON V1 261 ATF ALLISON 2000 2500 TRANS SYD 6180/90E DEXRON V1 DEXRON V1 4401 ATF 6T70/75E DEXRON V1	271	_ ATF		
GMC/CHEVROLET OIL REQUIRED 126 ATF 136 AUTOTRACK2 205C 80/90 GEAR OIL 208 ATF 226 AUTOTRACK2 233 ATF 236 AUTOTRACK2 241 ATF 243 ATF 244 ATF 246 AUTOTRACK 2 241 ATF 243 ATF 246 AUTOTRACK 2 246 AUTOTRACK 2 261 AUTOTRACK 2 263 ATF 4401 ATF 4401 ATF 4401 ATF 6L80/90E DEXRON V1 6T70/75E DEXRON V1				
126 ATF 4T40/45E DEXRON V1 136 AUTOTRACK2 4T65E DEXRON V1 205C 80/90 GEAR OIL TH200R4 DEXRON V1 208 ATF DEXRON V1 226 AUTOTRACK2 DEXRON V1 233 ATF TH400 DEXRON V1 236 AUTOTRACK 2 DEXRON V1 DEXRON V1 241 ATF 4L65E DEXRON V1 243 ATF 4180E DEXRON V1 246 AUTOTRACK 2 ALLISON 1000 DEXRON V1 261 ATF ALLISON 2000 2500 TRANS SYD 263 ATF 6L80/90E DEXRON V1 4401 ATF 6T70/75E DEXRON V1			722.010/101	
136	GMC/CHEVROLET	_ OIL REQUIRED	GMC/CHEVROLET	OIL REQUIRED
205C	126	– ATF		
208 ATF TH350 DEXRON V1 226 AUTOTRACK2 TH350C DEXRON V1 233 ATF TH400 DEXRON V1 236 AUTOTRACK 2 4L60/70/75E DEXRON V1 241 ATF 4L65E DEXRON V1 243 ATF 4180E DEXRON V1 246 AUTOTRACK 2 ALLISON 1000 DEXRON V1 261 ATF ALLISON 2000 2500 TRANS SYD 263 ATF 6L80/90E DEXRON V1 4401 ATF 6T70/75E DEXRON V1	136	– AUTOTRACK2	4T65E	DEXRON V1
226 AUTOTRACK2 TH350C	205C	_ 80/90 GEAR OIL	· · · · · · · · · · · · · · · · · · ·	
226 AUTOTRACK2 TH350C	208	_ ATF	TH350	DEXRON V1
233 ATF TH400			TH350C	DEXRON V1
236 AUTOTRACK 2 TH700R4 DEXRON V1 241 ATF 4L60/70/75E DEXRON V1 243 ATF 4L65E DEXRON V1 246 AUTOTRACK 2 ALLISON 1000 DEXRON V1 261 ATF ALLISON 2000 2500 TRANS SYD 263 ATF 6L80/90E DEXRON V1 4401 ATF 6T70/75E DEXRON V1			TH400	DEXRON V1
241 ATF 4L60/70/75E DEXRON V1 243 ATF 4L65E DEXRON V1 246 AUTOTRACK 2 ALLISON 1000 DEXRON V1 261 ATF ALLISON 2000 2500 TRANS SYD 263 ATF 6L80/90E DEXRON V1 4401 ATF 6T70/75E DEXRON V1			TH700R4	DEXRON V1
243 ATF 4L65E DEXRON V1 246 AUTOTRACK 2 ALLISON 1000 DEXRON V1 261 ATF ALLISON 2000 2500 TRANS SYD 263 ATF 6L80/90E DEXRON V1 4401 ATF 6T70/75E DEXRON V1			4L60/70/75E	DEXRON V1
246 AUTOTRACK 2 261 ATF 263 ATF 4401 ATF			4L65E	DEXRON V1
261 ATF 263 ATF 4401 ATF ALLISON 2000 2500 TRANS SYD 6L80/90E DEXRON V1 6T70/75E DEXRON V1			4180E	DEXRON V1
263 ATF			ALLISON 1000	DEXRON V1
4401 ATF			ALLISON 2000 2500—	TRANS SYD
			6L80/90E	DEXRON V1
4470 ATF	4401	_ ATF	6T70/75E	DEXRON V1
	4470	_ ATF		

STANDARD TRANSMISSIONS

FORD ZF Small Block ZF Diesel ZF V10 ZF 6 Speed M5R1 M5R2 T5 Mustang	Synthetic ATF +4
DODGE/CHRYSLER NV4500	
NV3500	GL-4 Synthetic ATF +4 Chrysler# 04874464AB
Getrag	Castrol Syntorq LT Chrysler# 4874459
A535	•
AX5	O (1 (: ATE 4
AX15	Synthetic ATF +4
Peugeot	Synthetic ATF +4
GMC/CHEVROLET NV4500	Castrol Syntorq LT
Getrag	GM #12346190 Castrol Syntorq LT

Please be sure to use the oil that is specified in order to receive full warranty. If the Oil Requirements Tag attached to your unit states a different oil to be used, this guide will supersede the attached tag.

T5 Camaro Synthetic ATF +4



North American Powertrain Components

12836-151 Street NW

Edmonton, AB

T5V 1G8

Phone: 780-456-4498

Fax: **780-406-6622**

Toll Free: 866-456-4498



Complete Shipping Solutions

Logistics Simplified

Complete Shipping Solutions Inc.

14803-114 Ave NW, 2nd Floor

Edmonton, AB

T5M 2Y8

Phone: 780-733-7525

Fax: 780-733-7526

Toll Free: 855-733-7525

CORE RETURN INSTRUCTIONS

GM #12346190

Dear Valued NAPC Customer,

- In order to coordinate ALL SHIPMENTS coming back to NAPC, please contact rates@completeshipping.ca, or via phone at Toll Free1-855-733-7525 to arrange pickup.
- Shipping & Bill of Lading instructions will be provided at time of booking by Complete Shipping Solutions
- Please distribute this information to your internal teams responsible for shipping. We thank you for your attention in this matter and appreciate your business.

The Warranty Registration must be filled out completely. You can return all documents in the plastic bag attached to your core. You may also go online to our website www.napc.ca to fill out an electronic copy of this form or fax to 780.406.6622.

The buyer MUST submit Warranty Registration and return the core within 30 days of purchase.

Purchased by:	Contact Name:
City/Province:	Phone Number:
Installation by:	Contact Name:
City/Province:	Phone Number:
Date of Purchase:	
Unit Type:	
Vehicle Model:	
	t):
Install Date:	
Vehicle VIN#:	
NAPC/NADP Invoice #:	
Unit Serial # (Located on BLUE metal tag):	
Make:	
Year:	
Amount of Oil installed (exact amount):	
Odometer of vehicle at install:	

PLEASE FILL OUT THIS FORM AT TIME OF INSTALLATION AND MAIL, FAX, OR EMAIL

NAPC/NADP 12836 - 151 Street Edmonton, Alberta, Canada T5V 1G8, 780.406.6622 or email reception@napc.ca. Alternatively, you can visit www.napc.ca to register your NAPC unit.

Record CVI values RFE units

After you have run quick learn and road tested the vehicle on your 45,545,65,66 and 68RFE installation as outlined in the install instructions, use the table below to determine if your CVI values are within specification. Record CVI values from your scanner and record them in the table provided below and fax or email this in to NAPC with your warranty registration.

CLUTCH	WHEN UPDATED	PROPER CLUTCH VOLUME	
L/R	2-1 3-1 or 4-1 Downshift	45-134	
2C	4-3 or 3-2 Downshift	25-85	
2C ALTERNATE	5-6 upshift	25-85	
OD	3-4 Upshift	30-100	
4C	4-5 Upshift	30-85	
4C ALTERNATE	2-3 Upshift	30-85	
UD	5-4 or 6-4 Kickdown	30-100	

сьитсн	Record Actual from Scanner
L/R	
2C	
2C ALTERNATE	
OD	
4C	
4C ALTERNATE	
UD	

PLEASE FILL OUT THIS FORM WITH THE CVI VALUES AT TIME OF INSTALLATION AND MAIL, FAX, OR EMAIL:

NAPC/NADP 12836 - 151 Street Edmonton, Alberta, Canada T5V 1G8, 780.406.6622 or email reception@napc.ca. Alternatively, you can visit www.napc.ca to register your NAPC unit.



CORE RETURN INSTRUCTIONS

Dear Valued NAPC Customer,

- In order to coordinate ALL SHIPMENTS coming back to NAPC, please contact rates@completeshipping.ca, or via phone at Toll Free1-855-733-7525 to arrange pickup.
- Shipping & Bill of Lading instructions will be provided at time of booking by Complete Shipping Solutions.
- Please distribute this information to your internal teams responsible for shopping. We thank you for your attention in this matter and appreciate your business.

Sincerely,

The NAPC Team



North American Powertrain Components

12836-151 Street NW Edmonton, AB T5V 1G8

Phone: 780-456-4498 *Fax:* **780-406-6622**

Toll Free: 866-456-4498

Complete Shipping Solutions Inc.

14803-114 Ave NW, 2nd Floor Edmonton, AB

T5M 2Y8

Phone: 780-733-7525 Fax: 780-733-7526

Toll Free: 855-733-7525



North American Powertrain Components LTD. 12836 151 Street . Edmonton, Alberta, Canada . T5V 1G8 Phone: 780.456.4498 or 1.866.456.4498

Fax: 780.406.6622

www.napc.ca

Warranty Process & Procedure


Do You Suspect A Problem?

Procedure 1: Initial Phone Call To NAPC

Call 1-780-456-4498 or 1-866-456-4498

A FIRST Conversation With The Following Information Is Required.

- NAPC serial # on Metal tag or NAPC invoice #
- Symptoms Of A Road Test
- Fault Codes That Come Up From A Scan
- Current Mileage & Installation Mileage



DO NOT REMOVE THE UNIT OR REPLACE ANY PARTS WITHOUT THIS FIRST PHONE CONVERSATION!

• ANY Steps taken without prior approval will not be covered.



At This Time, The NAPC Representative Will Determine The Required Action. This Action Will Include Either Repair or Replacement of Unit ALONG With A File Being Opened & Documented Regarding This Situation.

* REPLACE UNIT: IF It Has Been Authorized To Replace The Faulty Unit, A New Unit Will BE Sent Out By NAPC OR The Defective Unit Will Need To Be Sent Back To NAPC For Repair. (A CHARGE FOR THE REPLACEMENT UNIT WILL BE MADE UNTIL THE FAULTY UNIT IS RETURNED.)

*REPAIR UNIT: UPON AUTHORIZATION, NAPC Will Sign Off On IN SHOP Repair Of Unit.

Parts - May Or May Not Be Required & Will Depend Upon The Specific Situation

ATTENTION

UNLESS Authorized By NAPC, No Repairs Will Be Paid Out, Without Following The Above Procedure **THERE WILL BE NO EXCEPTIONS MADE**

INVOICING / LABOR



^{*} All Invoices For Repair / Replacement MUST have BOTH Defective serial Number & The NEW Units serial Number Present On The Invoice. If An Invoice Does Not Have Either Of The serial Numbers Present, It Will Be Sent Back.

^{*} Payment For Warranty Claims Will Follow The INDUSTRY STANDARD Flat Rate System Found In Chilton, Mitchell & Motor Guidelines. Warranty Industry Standing Rates Have Been Set At \$75 per hour.